

Docket No.: YHK-0112

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

PATENT

In re Application of

Joong Seo PARK

Confirmation No.: 7858

Group Art Unit: 2821

Serial No: 10/743,284

Examiner: Minh D. A

Filed: December 23, 2003

Customer No.: 34610

For: ENERGY RECOVERING APPARATUS AND METHOD FOR PLASMA DISPLAY PANEL

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

- ☐ No additional fee is required.
☒ Also attached: Extra Claim fee

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	22	21	1	x \$50.00 =	\$50.00
Independent Claims	3	3		x \$200.00=	\$0.00
If multiple claims newly presented, add \$360.00					
Fee for extension of time					
TOTAL FEE DUE					\$50.00

- ☐ Please charge my Deposit Account No. 16-0607 in the amount of \$____. An additional copy of this transmittal sheet is submitted herewith.
- ☒ A check in the amount of \$ 50.00 (Check #18113) is attached.
- ☒ The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
FLESHNER & KIM, LLP

Daniel Y.J. Kim
Registration No. 36,186
Dave C. Oren
Registration No. 38,694

P.O. Box 221200
Chantilly, VA 20153-1200
(703) 766-3701 DYK:DCO/cah
Date: July 20, 2006

Please direct all correspondence to Customer Number 34610

Document in ProLaw

Docket No.: YHK-0112



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Confirmation No.: 7858

Joong Seo PARK

Group Art Unit: 2821

Serial No.: 10/743,284

Examiner: Minh D. A

Filed: December 23, 2003

Customer No.: 34610

For: **ENERGY RECOVERING APPARATUS AND METHOD FOR PLASMA
DISPLAY PANEL**

AMENDMENT

U.S. Patent and Trademark Office
Customer Window, **MAIL STOP AMENDMENT**
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Sir:

In reply to the Office Action dated April 20, 2006, please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims.

Remarks begin after the listing of the claims.

07/21/2006 JADD01 00000009 10743284

01 FC:1202

50.00 OP